

this document, after being transported from a Manufactured XYZ

applicable transport regulations and the UN Manual of Tests and Criteria as of the date of the certification. The model(s) must be

packaged, labeled, and documented according to country and

The model(s) has (have) been classified according to the

other international regulations for transportation.

LITHIUM CELLS OR BATTERIES TEST SUMMARY IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

BATTERY TRANSPORTATION INFORMATION

for Albert Kerbl GmbH, Forehead strap LED, article no. 3230420

Name of cells, batt	tery or product manufa	acturer, as applicable:	Cell, battery or product manufacturer's contact information to include address, phone number, email address and website for			
Item Number:	Polymer Li-ion Batt	ery 902030	more information:			
Item Name:	Polymer Li-ion Bat	tery 902030	Albert Kerbl GmbH Felizenzell 9			
Item Description	Polymer Li-ion Bar 3.7V 500mAh 1.		84428 Buchbach (Germany) Phone: +49 8086 933-100 Email: info@kerbl.de Website: www.kerbl.de			
Name of the test laboratory to include address, phone number, email address and website for more information:			A unique test report ident number:	tification	Date of the latest report:	
Shenzhen Tiansu Calibration andvTesting Co., Ltd. B/1,4, No.2 Jinlong Road, Longgang District, Shenzhen, China			TSZ22080335-P01-R01		09-Sept-2022	
Phone: +86-755 89457984			List of tests conducted and results (i.e., pass/fail):			
Email: tsjc@tiansu.org Website: www.tiansu.org			Test T.1: Altitude Simulation : Pass			
			Test T.2: Thermal Test : Pass			
Description of cell or battery to include at a minimum: Lithium ion or Lithium metal cell or battery; Mass; Watt-hour rating, or lithium content; Physical description of the cell/battery; and Model numbers:			Test T.3: Vibration : Pass			
			Test T.4: Shock : Pass			
Battery used in consumer power tools.			Test T.5 External short circuit : Pass			
Cell/battery Type : Cylindrical Li-Ion Battery			Test T.6: Impact/Crush : Pass			
Cell or Battery : Battery			Test T.7: Overcharge : Pass			
LC or W/h rating : 1,85 W/h			Test T.8: Forced discharge : Pass			
Cell or Battery Weight : 9,3 g			Testing additional comments:			
requirements, if applicable (i.e., 38.3.3;(f) Tests			Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto, if any:		For air transport only: Does the cell or battery comply with the 30% State of Charge?	
Not applicable		Revision 7	Revision 7			
F	PRODUKT CLAS	_ SSIFICATION FOR TE	RANSPORT (Accord	l ding to UN	– DGP)	
UN Classification: Proper Shipping Name:			`		,	
UN34 Sea: SF	188	hium-Ion Battery o	ontained in equip	oment		
Air: Pl967, S			T			
Signature with name and title of signatory as an indication of the validity of information provided:			This document remains valid as long as no changes, modifications, or additions are made to the model(s) described in this document of the being transported from a Magnifectured XXZ			

facility.

Testing Manager:

13-Jan-2025

Date document was generated: